Author Index

Agrawal, B. N.	Active vibration control of a space truss using a lead zirconate titanate stack actuator	355–361
Ahmad, S. M.	Parametric modelling and dynamic characterization of a two-degree-of-freedom twin-rotor multi-input multi-output system	63–78
Arnulfo, L.	Remote fan-lift engines	155–163
Birkby, P.	Numerical predictions of turbulent underexpanded sonic jets using a pressure-based methodology	165–173
Borello, L.	Sensitivity study of the effects of manufacturing defects on the performance of a redundant hydraulic secondary flight control	269–277
Burguete, R. L.	Comparison of numerical and experimental analyses for contact problems under normal and tangential loads	113–123
Butler, I. G.	A low-mass multistage radiator for the passive cooling of X-ray charge-coupled devices in space	175–183
Carrington, I. B.	A comparison of blade tip timing data analysis methods	301–312
Cheung, W. S.	Testing of a novel propulsion system for micro air vehicles	207–218
Chipperfield, A. J.	Parametric modelling and dynamic characterization of a two-degree-of-freedom twin-rotor multi-input multi-output system	63–78
Choi, H. D.	Adaptive notch filter design for bending vibration of a sounding rocket	13–23
Cooper, J. E.	Flight test flutter prediction using neural networks	37–47
Cooper, J. E.	A comparison of blade tip timing data analysis methods	301–312
Crowther, W. J.	Flight test flutter prediction using neural networks	37–47
Cuerno-Rejado, C.	Experimental aerodynamic characteristics of NACA 0012 airfoils with simulated glaze and rime ice	229–240
Debost, S.	A panel with matched polyvinylidene fluoride volume velocity sensor and uniform force actuator for the active control of sound transmission	187–206
Dimitriadis, G.	A comparison of blade tip timing data analysis methods	301–312
Ebrahimi, M.	Optimal wind tunnel regulation	241–252
Elferink, K.	Optimal and near-optimal take-off manoeuvres in the presence of windshear	257–268
Elliott, S. J.	A panel with matched polyvinylidene fluoride volume velocity sensor and uniform force actuator for the active control of sound transmission	187–206
Escudero-Arahuetes, J. L.	Experimental aerodynamic characteristics of NACA 0012 airfoils with simulated glaze and rime ice	229–240
Foist, J. P.	Phosphor thermometry in an electron beam physical vapour deposition produced thermal barrier coating doped with dysprosium	333–341
Frydrychewicz, A.	Aerodynamic, dynamic and conceptual design of a fire-fighting aircraft	125–146
Fujimori, A.	A flight control design of a re-entry vehicle using a double-loop control system with fuzzy gain-scheduling	1–12
Gardonio, P.	A panel with matched polyvinylidene fluoride volume velocity sensor and uniform force actuator for the active control of sound transmission	187–206
Gill, L.	An expert system for the determination of stress concentration factors	219–228
Goodall, C. V.	A low-mass multistage radiator for the passive cooling of X-ray charge-coupled devices in space	175–183
Goraj, Z.	Aerodynamic, dynamic an conceptual design of a fire-fighting aircraft	125–146
Graham, R. H.	An expert system for the determination of stress concentration factors	219–228
Gratton, G. B.	The weightshift-controlled microlight aeroplane	147–154
Gupta, M. M.	A flight control design of a re-entry vehicle using a double-loop control system with fuzzy gain-scheduling	1–12
Heyes, A. L.	Phosphor thermometry in an electron beam physical vapour deposition produced thermal barrier coating doped with dysprosium	333–341
Hills, D. A.	A combined testing and modelling approach to the prediction of the fretting fatigue performance of splined shafts	105–112
Howe, D.	Blended wing body airframe mass prediction	319–331
Hyde, T. H.	Finite element torsional buckling analysis of shafts with non-concentric bores	279–289
Jin, H.	Evaluation of navigation errors based on ergodic processes	25–35
Johnson, S. E.	Active vibration control of a space truss using a lead zirconate titanate stack actuator	355–361
Kim, J.	Adaptive notch filter design for bending vibration of a sounding rocket	13–23
Kuo, T.-C.	Blowdown and fluid hammer studies for a satellite reaction control subsystem	291–299

© IMechE 2001

Lee, Y. S.	A panel with matched polyvinylidene fluoride volume velocity sensor and uniform force actuator for the active control of sound transmission	187–206
Lentini, D.	Identification of chemical and vibrational relaxation regimes in rocket nozzle flow via a quasi-linear formation	79–87
Limmer, L.	A combined testing and modelling approach to the prediction of the fretting fatigue performance of splined shafts	105–112
López-Diez, J.	Experimental aerodynamic characteristics of NACA 0012 airfoils with simulated glaze and rime ice	229–240
López-Martínez, G.	Experimental aerodynamic characteristics of NACA 0012 airfoils with simulated glaze and rime ice	229–240
Mahmoud, S. M.	A low-mass multistage radiator for the passive cooling of X-ray charge-coupled devices in space	175–183
Nandakumar, K.	Hysteresis and bifurcation of flow in fuel injection nozzles	49–59
Nelson, P. A.	Wind tunnel experiments on the optimization of distributed suction for laminar flow control	343–354
Nicholls, J. R.	Phosphor thermometry in an electron beam physical vapour deposition produced thermal barrier coating doped with dysprosium	333–341
Nikiforuk, P. N.	A flight control design of a re-entry vehicle using a double-loop control system with fuzzy gain-scheduling	1–12
Nowell, D.	A combined testing and modelling approach to the prediction of the fretting fatigue performance of splined shafts	105–112
Nyongesa, H. O.	An optimal approach for generation of time delay algorithms for anti-air missiles	363–365
Page, G. J.	Numerical predictions of turbulent underexpanded sonic jets using a pressure-based methodology	165–173
Patnaik, R.	Hysteresis and bifurcation of flow in fuel injection nozzles	49–59
Patterson, E. A.	Comparison of numerical and experimental analyses for contact problems under normal and tangential loads	113–123
Peckover, S.	An expert system for the determination of stress concentration factors	219–228
Pilidis, P.	Remote fan-lift engines	155–163
Probert, D.	Remote fan-lift engines	155–163
Qin, N.	Study of the aerodynamics of in-plane motion	89–104
Raines, M.	An expert system for the determination of stress concentration factors	219–228
Ramamurthi, K.	Hysteresis and bifurcation of flow in fuel injection nozzles	49–59
Ransom, E. C. P.	Aerodynamic, dynamic and conceptual design of a fire-fighting aircraft	125–146
Robinson, P. A.	An expert system for the determination of stress concentration factors	219–228
Robotham, W. S.	Finite element torsional buckling analysis of shafts with non-concentric bores	279–289
Self, A.	Aerodynamic, dynamic and conceptual design of a fire-fighting aircraft	125–146
Shankar, S.	Hysteresis and bifurcation of flow in fuel injection nozzles	49–59
Shaw, S. T.	Study of the aerodynamics of in-plane motion	89–104
Song, G.	Active vibration control of a space truss using a lead zirconate titanate stack actuator	355–361
Swift, K. G.	An expert system for the determination of stress concentration factors	219–228
Tilston, J. R.	Testing of a novel propulsion system for micro air vehicles	207–218
Tokhi, M. O.	Parametric modelling and dynamic characterization of a two-degree-of-freedom twin-rotor multi-input multi-output system	63–78
Villero, G.	Sensitivity study of the effects of manufacturing defects on the performance of a redundant hydraulic secondary flight control	269–277
Visser, H. G.	Optimal and near-optimal take-off manoeuvres in the presence of windshear	257–268
Vlattas, J.	Active vibration control of a space truss using a lead zirconate titanate stack actuator	355–361
Wagstaff, P.	Aerodynamic, dynamic and conceptual design of a fire-fighting aircraft	125–146
Whalley, R.	Optimal wind tunnel regulation	241–252
Williams, E. J.	Finite element torsional buckling analysis of shafts with non-concentric bores	279–289
Wright, J. R.	A comparison of blade tip timing data analysis methods	301–312
Wright, M. C. M.	Wind tunnel experiments on the optimization of distributed suction for laminar flow control	343–354
Yang, A.-S.	Blowdown and fluid hammer studies for a satellite reaction control subsystem	291–299
Yin, J.	Remote fan-lift engines	155–163
Zhang, H. Y.	Evaluation of navigation errors based on ergodic processes	25–35

© IMechE 2001